Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

TREASURY DEPARTMENT

PUBLIC HEALTH REPORTS

ISSUED WEEKLY
BY THE UNITED STATES
PUBLIC HEALTH SERVICE

VOLUME 35 :: :: NUMBER 32

AUGUST 6 - - 1920

SPECIAL ARTICLES

State and Insular Health Authorities, 1920
Principal Causes of Death, May and June, 1920

WASHINGTON
GOVERNMENT PRINTING OFFICE
1920

UNITED STATES PUBLIC HEALTH SERVICE.

HUGH S. CUMMING, *Surgeon General.*

DIVISION OF SANITARY REPORTS AND STATISTICS.

Asst. Surg. Gen. B. S. WARREN, *Chief of Division.*

The PUBLIC HEALTH REPORTS are issued weekly by the United States Public Health Service through its Division of Sanitary Reports and Statistics, pursuant to acts of Congress approved February 15, 1893, and August 14, 1912.

They contain: (1) Current information of the prevalence and geographic distribution of preventable diseases in the United States in so far as data are obtainable, and of smallpox, cholera, plague, yellow fever, typhus fever, and other communicable diseases throughout the world. (2) Articles relating to the cause, prevention, or control of disease. (3) Other pertinent information regarding sanitation and the conservation of the public health.

The PUBLIC HEALTH REPORTS are intended primarily for distribution to health officers, members of boards or departments of health, and those directly or indirectly engaged in or connected with public health or sanitary work. Articles of general or special interest are issued as reprints from the PUBLIC HEALTH REPORTS or as supplements, and in these forms are available for general distribution to those desiring them.

Requests for and communications regarding the PUBLIC HEALTH REPORTS, reprints, or supplements should be addressed to the Surgeon General, United States Public Health Service, Washington, D. C.

The Public Health Service is unable to supply the demand for bound copies of the PUBLIC HEALTH REPORTS. Librarians and others receiving the PUBLIC HEALTH REPORTS regularly should preserve them for binding, as it is not practicable to furnish bound copies on individual requests.

ADDITIONAL COPIES
OF THIS PUBLICATION MAY BE PROCURED FROM
THE SUPERINTENDENT OF DOCUMENTS
GOVERNMENT PRINTING OFFICE
WASHINGTON, D. C.
AT
5 CENTS PER COPY
SUBSCRIPTION PRICE, $2.00 PER YEAR

CONTENTS.

Page.

State and insular health authorities, 1920—Directory, with data as to appropriations and publications 1843
Principal causes of death, May and June, 1920 1861
Deaths during week ended July 24, 1920:
In certain large cities of the United States 1862
Death claims reported by insurance companies 1862

PREVALENCE OF DISEASE.

United States:
Current State summaries—
Telegraphic reports for week ended July 31, 1920 1863
Kentucky report for week ended July 24, 1920 1865
Summary of cases reported monthly by States 1866
Cerebrospinal meningitis—
State reports for June, 1920 1866
City reports for week ended July 17, 1920 1867
Diphtheria—Marfa, Tex.—July 29 and August 2, 1920 1867
Influenza—
California and Mississippi—June, 1920 1867
City reports for week ended July 17, 1920 1867
Leprosy—Los Angeles and Ontario, Calif 1868
Lethargic encephalitis—State reports for May and June, 1920 1868
Malaria—
State reports for June, 1920 1868
City reports for week ended July 17, 1920 1869
Pellagra—
California, Mississippi, and Virginia—June, 1920 1870
City reports for week ended July 17, 1920 1870
Plague—
Human cases of plague reported 1871
Plague-infected rodents 1871
Pneumonia (all forms)—City reports for week ended July 17, 1920 1871
Poliomyelitis (infantile paralysis)—
State reports for June, 1920 1872
City reports for week ended July 17, 1920 1873
Rabies in animals—Detroit, Mich., Akron, Ohio, and Pawtucket, R. I 1873
Rabies in man—Chicago, Ill.—Week ended July 17, 1920 1873
Rocky Mountain spotted or tick fever—Idaho, Oregon, and Wyoming—June, 1920 1873
Smallpox—
California and New Jersey—Reports for June, 1920—Vaccination histories 1874
State reports for May and June, 1920 1875
City reports for week ended July 17, 1920 1877
Tetanus—City reports for week ended July 17, 1920 1878

United States—Continued.
Typhoid fever— Page.
State reports for May and June, 1920 1878
City reports for week ended July 17, 1920 1880
Diphtheria, measles, scarlet fever, and tuberculosis—City reports for week ended July 17, 1920 1882
Foreign and Insular:
Cuba—Communicable diseases—Habana 1888
Cholera, plague, smallpox, typhus fever, and yellow fever—
Reports received during week ended August 6, 1920—
Cholera 1888
Plague 1889
Smallpox 1889
Typhus fever 1889
Yellow fever 1889
Reports received from June 26 to July 30, 1920—
Cholera 1890
Plague 1890
Smallpox 1891
Typhus fever 1893
Yellow fever 1894